ORIGINAL BRENNEKE®

Maximum power for all hunting conditions

BRENNEKE - THE standard for over 100 years

The name BRENNEKE is known in the shooting fraternity all over the world. The founder, Wilhelm Brenneke, established his company in 1895. He introduced his first line of Original BRENNEKE® slugs in 1898 and since this time BRENNEKE has worked out the widest line of shotgun slugs on the whole market.

In the year of 100th aniversary a new company was founded, the BRENNEKE OF AMERICA. Within a brandnew line of premium shotgun slug cartridges the ideal load for every hunter for every hunting condition can be selected.

These cartridges are made according to the highest international quality standards and subject to constant quality control. This guarantees the hunter absolute confidence for that "moment of truth".

All Original BRENNEKE® slugs produce maximum knock down power and the energy released in the target (game) is optimum. The slug deform hardly at all and guarantees a reliable penetration effect, mostly with exit.



SUPER MAGNUM
For heavy or dangerous game under adverse hunting conditions at ranges to 100 yards or more. Flattest trajectory and maximum energy.
12ga 3", slug 1 3/8oz with patented plastic wad only for rifled barrels.

MAGNUM
Under adverse hunting conditions for heavy and dangerous game. Flattest trajectory and maximum energy for 100 yards and beyond. Slugs with patented plastic wads.
12ga 3", slug 1 3/8oz for smooth barrels.
20ga 3", slug 1oz for smooth and rifled barrels.

MAGNUM .410ga
Most accurate and very high penetration power. For small game and varmints.
.410ga 3", slug 1/4oz with patented plastic wad for smooth barrels.

HEAVY FIELD SHORT MAGNUM
For heavy and medium game. Under difficult hunting conditions. Flat trajectory, maximum energy up to 100 yards.
12ga 2 3/4", slug 1 1/4oz with patented plastic wad for smooth and rifled barrels.

SUPER MAGNUM 12ga 3"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1476	2902
25	1325	2340
50	1200	1915
75	1100	1615
100	1025	1410

MAGNUM 20ga 3"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1476	2130
25	1325	1720
50	1200	1400
75	1100	1185
100	1025	1035

MAGNUM 12ga 3"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1476	2902
25	1325	2340
50	1200	1915
75	1100	1615
100	1025	1410

MAGNUM .410ga 3"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1510	556
25	1355	448
50	1220	365
75	1120	305
100	1040	265

11 different shotgun slug loads to match your exact hunting requirements

FIELD SHORT MAGNUM
Under normal hunting conditions or in brush for medium game. Standard for almost 100 years, up to 80 yards.
12ga 2 3/4", slug 1 1/8oz
16ga 2 3/4", slug 1oz
20ga 2 3/4", slug 7/8oz

All slugs with felt wad for smooth barrels.

Maximum Knock-down Power + Accuracy +
1895-1995
100 YEARS
ORIGINAL BRENNEKE
12 ga 2 3/4"
Field Short MAGNUM
Warning: Keep out of reach of children and unauthorized persons!

Maximum Knock-down Power + Accuracy +
1895-1995
100 YEARS
ORIGINAL BRENNEKE
16 ga 2 3/4"
Field Short MAGNUM
Warning: Keep out of reach of children and unauthorized persons!

Maximum Knock-down Power + Accuracy +
1895-1995
100 YEARS
ORIGINAL BRENNEKE
20 ga 2 3/4"
Field Short MAGNUM
Warning: Keep out of reach of children and unauthorized persons!



HIGH VELOCITY
Under good hunting conditions for medium game. Flattest trajectory and high penetration power.
12ga 2 3/4", slug 1oz with patented plastic wad for smooth barrels.

LOW RECOIL
Under special hunting contitions, allows quick and accurate follow up shots if needed. Also most comfortable for shooters sensitive to recoil, for close distance.
12ga 2 3/4", slug 1oz with patented plastic wad for smooth barrels.

BUCKSHOT
Extremely hard (6%Antimony) pellets for deep penetration. For small game and varmints at close ranges.
12ga 2 3/4" 00 buckshot, 9 pellets, 1oz

HEAVY FIELD SHORT MAGNUM 12ga 2 3/4"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1476	2540
25	1325	2050
50	1200	1675
75	1100	1415
100	1030	1235

FIELD SHORT MAGNUM 16ga 2 3/4"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1510	2100
25	1355	1690
50	1220	1375
75	1120	1150
100	1040	1000

HIGH VELOCITY 12ga 2 3/4"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1560	2375
25	1395	1900
50	1255	1545
75	1145	1280
100	1060	1100

FIELD SHORT MAGNUM 12ga 2 3/4"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1510	2480
25	1355	1995
50	1220	1625
75	1120	1361
100	1040	1181

FIELD SHORT MAGNUM 20ga 2 3/4"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1510	1870
25	1355	1505
50	1220	1225
75	1120	1030
100	1040	890

LOW RECOIL 12ga 2 3/4"

Distance -yds-	Velocity -ft./sec.-	Energy -ft./lbs.-
Muzzle	1150	1290
25	1065	1110
50	1000	980
75	950	885
100	905	805

ORIGINAL BRENNEKE®

BRENNEKE SLUG STORE - easy selection of the most suitable shotgun slug cartridge

CAUTION! Important safety considerations

(Shotshells are used in shotguns and cartridges are used in rifles and handguns.) Please read these instructions **carefully** before using **Original BRENNEKE® Shotgun Slug Cartridges** and observe them always when shooting in order to avoid injuries or danger to other persons or yourself.

1. **Original BRENNEKE® Shotgun Slug Cartridges** should be used only in modern shotguns in good condition suitable for 12ga Mag., 20ga Mag. (3"), 12ga, 16ga, 20ga (2 3/4") or .410 ga (3"). Use the **Original BRENNEKE® Super Magnum 12 ga 3"** only in modern shotguns with rifled barrels chambered for 3" shells! In case of doubt please ask your dealer or the manufacturer.

2. Always check the condition of the shotgun (functioning — especially safety, loading mechanism and trigger, cleanness of the barrel, when using a screwed-in choke ensure that screw tread connection is strong. We recommend that cylinder bore or improved cylinder chokes be used when shooting slugs. Examine whether the firearm has apparent defects like damage, cracks or other peculiar marks.

3. Visually check the bore to be sure it is clean of any obstructions.

4. **Hearing and eye protection is absolutely necessary and highly recommended.**

5. **Extreme caution is recommended when the gun fails to fire. Wait approximately 1 minute, then unload keeping the muzzle and action pointed in a safe direction.** Do not throw any loaded cartridges on the floor because they might be ignited when falling on a sharp object.

6. For hunting practice or shooting remember the following points to guarantee maximum accuracy:

a) The shotgun must be test-fired. with the **Original BRENNEKE® Shotgun Slug Cartridges** because the point of impact may not be the same as other shotshells. The point of impact should be determined accurately with a telescope sight or by using open sight and a solid rest.

b) The group size of the firearm and ammunition combination found by firing a group of 5 shots.

7. Before firing make sure there is nobody in the target area. The whole area and trajectory must be absolutely cleared. Never fire in inhabited areas or near buildings. Trees, stones or other obstacles should not be in the possible trajectory path because the slugs could glance off as ricochets.

8. **Never shoot if there is any doubt!** The maximum danger area is 1,500-2,000 yards.

9. Refrain from any horseplay or modifications of shotshells with **Original BRENNEKE® Shotgun Slug Cartridges**. Only point a firearm at something you want to shoot — even during practice.

10. **Keep cartridges and guns out of reach of children and unauthorized persons!**

11. After every use clean firearm and especially barrel thoroughly.

12. Remember you are responsible for each shot from the time you pull the trigger until the slug stops. **Always think "Safety".**

Original BRENNEKE® Slugs are manufactured by BRENNEKE GMBH, Germany

Original BRENNEKE® Shotgun Slug Cartridges are loaded by Dynamit Nobel AG, Germany

For further information please contact:

BRENNEKE OF AMERICA, Ltd.
P.O. Box 2408,
Sierra Vista, AZ 85636
Phone: (602) 459-7306
Fax: (602) 459-3777